

SZG 0,9X6,5

Order No.: 1205134

The illustration shows version SZG 0,6 x 3,5

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1205134>

Screwdriver, bladed. with stepped blade, matches all screw terminal blocks with 4 mm diameter test socket screws and test plug sockets, blade width: 6.5 mm

**Commercial data**

EAN	4017918019143
Pack	10 Pcs.
Customs tariff	82054000
Weight/Piece	0.14797 KG
Catalog page information	Page 333 (CL-2007)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General**

Length	250 mm
Design	Phillips
Blade thickness	0.9 mm

Blade width	6.5 mm
Blade height	175 mm
Weight	85 g

Certificates / Approvals

Approval logo




requested approbations


Certification	GOST, VDE-PZI
---------------	---------------

Drawings

Dimensioned drawing



Schematic diagram



SZG 0,9X6,5 Order No.: 1205134

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1205134>

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2008 Phoenix Contact
Technical modifications reserved;